# CITY




## DESCRIPTION

City is a minimal version of the gas lamps of the 18th and 19th centuries. City is a pole-top luminaire suitable for old town streets, squares and other heritage surroundings.

## DESIGNER

Margus Triibmann

## DIMENSIONS




## Technical information

| | |
|---|---|
| Product code | LO-CI-03 |
| Number of LED Modules | 3 |
| Max system lumen output (lm) | 6725 |
| Color rendering index (CRI) | ≥ 80 (1 |
| Color temperature (K) | 3000 / 4000 (1 |
| Power consumption (W) | 70 |
| Supply voltage (V/AC) | 100…240VAC |
| Supply frequency (Hz) | 50…60Hz |
| Working temperature Ta | -30…+55°C |
| Surge protection (SPD) | 6 - 8 kV |
| Lumen maintenance (Lx By @ h) | L90B10 @100,000h |
| Safety / Electrical class | Class I |

*1) 1800 / 2200 / 3500 / 5000 / 5700 / 6500 K available on request along with other not listed CRI and CCT*

un-like

## Material

| | |
|---|---|
| LED-profile | Anodized aluminium |
| Luminaire head | Powder painted aluminium |
| IP rating | 65 |
| IK rating | 8 |
| Weight (without pole, kg) | 5 |
| Spigot Ø (mm) | 60 |
| Corrosion protection class | C4 |

## Colors

| | | |
|---|---|---|
| LED-profile | ■ | Black anodized |
| Luminaire head | ■ | Graphite black (RAL 9011) (1) |
| Paint finish | ■ | Matt or glossy |

*1) Other colours available on request*

## Control & Dimming Options

| | |
|---|---|
| Control / Dimming | DALI (2 |
| Control-ready socket | Zhaga / NEMA (3 |

*2) Different dimming and control systems available on request*

*3) Different sockets & sensors available on request*

## Pole Options

| | |
|---|---|
| Material | Galvanized and powder painted steel |
| Type | Conical / Cylindrical |
| Height (m) | 4, 5 or 6 (4) |
| Color | Matching luminaire head |

*4) Different pole sizes available on request*

CE

un-like