

TIMPAN



DESCRIPTION

Timpan is a modular bench-luminaire inspired by the timpani percussion instrument. It can be installed individually or grouped in sets of up to three, creating sculptural seating elements that emit a soft, ambient glow. Ideal for parks, waterfronts, plazas, and other public gathering spaces.

The body is made from semi-transparent white polyethylene—durable, impact-resistant, and highly vandal-resistant. The surface repels adhesives and is easy to clean, making it well-suited for urban environments.

The seat is finished in synthetic teak over waterproof plywood, offering the warm appearance of timber with the performance of marine-grade materials.


Each pod contains LED elements accessible by removing the seat for easy maintenance. Power is supplied through the base, and each pod is anchored with three bolts for secure installation.

DESIGNER

Margus Triibmann



DIMENSIONS



TECHNICAL INFORMATION

Product code	FO-TI-01-200
Light source	LED
Number of lighting elements	1
Max light output (lm)	500
Driver	MEAN WELL XLN-60
Color temperature (K)	2700/3000/4000
Power consumption (W)	15
Supply voltage (DC)	230V
Supply frequency (Hz)	50Hz
Working temperature Ta	-25...+55°C
IP rating	65
IK rating	08
Weight	75
Control & Dimming	DALI-2
Protection Class	I

MATERIAL

Body	Polyethylene
Seat	Synthetic teak

COLORS

Product code	FO-TI-01-200
Body	☐ Semi-transparent white
Seat	☒ Permateek Traditional Elite with Black Caulking




un-like







DIMENSIONS



TECHNICAL INFORMATION

Product code	FO-TI-02-200
Light source	LED
Number of lighting elements	2
Max light output (lm)	1000
Driver	MEAN WELL XLN-60
Color temperature (K)	2700/3000/4000
Power consumption (W)	29
Supply voltage (DC)	230V
Supply frequency (Hz)	50Hz
Working temperature Ta	-25...+55°C
IP rating	65
IK rating	08
Weight	75
Control & Dimming	DALI-2
Protection Class	I

MATERIAL

Body	Polyethylene
Seat	Synthetic teak


COLORS

Product code	FO-TI-02-200
Body	☐ Semi-transparent white
Seat	☒  Permateek Traditional Elite with Black Caulking





DIMENSIONS



TECHNICAL INFORMATION

Product code	FO-TI-03-200
Light source	LED
Number of lighting elements	3
Max light output (lm)	1500
Driver	MEAN WELL XLN-60
Color temperature (K)	2700/3000/4000
Power consumption (W)	45
Supply voltage (DC)	230V
Supply frequency (Hz)	50Hz
Working temperature Ta	-25...+55°C
IP rating	65
IK rating	08
Weight	75
Control & Dimming	DALI-2
Protection Class	I

MATERIAL

Body	Polyethylene
Seat	Synthetic teak

COLORS

Product code	FO-TI-03-200
Body	☐ Semi-transparent white
Seat	☒ Permateek Traditional Elite with Black Caulking



